

## Comparison of National, State and County Data for Tuberculosis, 1997- 2004

Annual Case Counts  
(Rate per 100,000 in parentheses)

	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>
USA	19,851 (7.4)	18,361 (6.8)	17,531 (6.4)	16,377 (5.8)	15,989 (5.6)	15,075 (5.2)	14,874 (5.1)	14,511 (4.9) <sup>a</sup>
CA	4,059 (12.3)	3,855 (11.5)	3,608 (10.6)	3,297 (9.5)	3,332 (9.5)	3,169 (8.9)	3,227 (8.9)	2,988 (8.2) <sup>b</sup>
San Diego	332 (12.2)	342 (12.2)	299 (10.4)	295 (10.5)	331 (11.5)	326 (11.1)	316 (10.6)	320 (10.6)

<sup>a</sup>Provisional data, Centers for Disease Control and Prevention, *MMWR* 2005;54:245-249.

<sup>b</sup>Provisional data, California Department of Health Services, February 8, 2005.

## COUNTY OF SAN DIEGO TUBERCULOSIS STATISTICS, 1997- 2004

**Table 1. Tuberculosis Incidence by Major Site of Disease, 1997- 2004**

DISEASE SITE	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>
Pulmonary	246 (74%)	270 (79%)	219 (73%)	238 (81%)	268 (81%)	247 (76%)	240 (76%)	259 (81%)
All Lymphatic	32 (10%)	29 (8%)	34 (11%)	30 (10%)	36 (11%)	37 (11%)	34 (11%)	30 (9%)
Pleural	13 (4%)	9 (3%)	13 (4%)	8 (3%)	6 (2%)	14 (4%)	13 (4%)	10 (3%)
Bone/Joint	16 (5%)	11 (3%)	8 (3%)	3 (1%)	6 (2%)	8 (2%)	8 (3%)	5 (2%)
Peritoneal	6 (2%)	3 (1%)	3 (1%)	6 (2%)	2 (<1%)	2 (<1%)	6 (2%)	2 (<1%)
Meningeal	4 (1%)	4 (1%)	5 (2%)	3 (1%)	4 (1%)	2 (<1%)	6 (2%)	3 (<1%)
Genitourinary	2 (1%)	3 (1%)	4 (1%)	3 (1%)	3 (1%)	9 (3%)	2 (<1%)	3 (<1%)
Miliary/Dissem.	7 (2%)	4 (1%)	5 (2%)	0	1 (<1%)	2 (<1%)	1 (<1%)	3 (<1%)
Other	6 (2%)	9 (3%)	8 (3%)	4 (1%)	5 (2%)	5 (2%)	6 (2%)	5 (2%)
<b>TOTAL</b>	<b>332</b>	<b>342</b>	<b>299</b>	<b>295</b>	<b>331</b>	<b>326</b>	<b>316</b>	<b>320</b>

**Table 2. Annual Tuberculosis Cases by Sex, Age and Race/Ethnicity, 1997- 2004**

(Rate per 100,000 in parentheses)

	<b>1997</b>	<b>1998</b>	<b>1999</b>	<b>2000</b>	<b>2001</b>	<b>2002</b>	<b>2003</b>	<b>2004</b>
<b>SEX</b>								
Male	205 (14.9)	220 (15.4)	173 (11.8)	183 (12.9)	204 (14.2)	195 (13.3)	187 (12.6)	190 (12.6)
Female	127 (9.5)	122 (8.8)	126 (8.9)	112 (8.0)	127 (8.9)	131 (9.0)	129 (8.7)	130 (8.6)
<b>AGE</b>								
0 - 4	13 (5.6)	21 (8.5)	18 (7.7)	13 (6.5)	18 (9.1)	10 (4.9)	15 (7.2)	15 (7.0)
5 - 14	23 (5.8)	21 (4.9)	23 (5.5)	14 (3.4)	16 (3.8)	4 (0.9)	11 (2.6)	21 (5.0)
15 - 24	41 (10.5)	35 (8.8)	24 (5.9)	36 (8.4)	45 (10.2)	39 (8.6)	45 (9.8)	44 (9.5)
25 - 44	95 (10.7)	116 (12.8)	99 (10.8)	107 (11.9)	102 (11.2)	130 (14.1)	105 (11.3)	109 (11.7)
45 - 64	81 (16.0)	81 (15.2)	67 (11.6)	69 (12.4)	89 (15.4)	81 (13.4)	97 (15.4)	81 (12.4)
65 +	79 (25.6)	68 (21.2)	68 (20.8)	56 (17.8)	61 (19.2)	62 (19.3)	43 (13.3)	50 (15.2)
<b>RACE/ETHNICITY</b>								
Hispanic	127 (19.8)	171 (25.3)	138 (19.7)	142 (18.9)	164 (21.1)	156 (19.3)	159 (19.1)	177 (20.6)
Black	29 (17.4)	16 (9.5)	22 (12.9)	23 (14.9)	20 (12.9)	27 (17.1)	24 (15.0)	17 (10.6)
Asian/Pacific Islander	128 (52.1)	109 (42.4)	102 (36.8)	102 (39.6)	97 (35.3)	105 (36.7)	92 (30.8)	100 (32.2)
Asian alone	--	--	--	--	--	--	89 (31.1)	100 (33.6)
Pacific Islander alone	--	--	--	--	--	--	3 (--)	0 (--)
White	48 (2.9)	43 (2.9)	34 (1.9)	28 (1.8)	49 (3.2)	38 (2.4)	41 (2.6)	25 (1.6)
Native Am./Alaskan	0 (--)	3 (--)	3 (--)	0 (--)	1 (--)	0 (--)	0 (--)	1 (--)
<b>TOTAL</b>	<b>332 (12.2)</b>	<b>342 (12.2)</b>	<b>299 (10.4)</b>	<b>295 (10.5)</b>	<b>331 (11.5)</b>	<b>326 (11.1)</b>	<b>316 (10.6)</b>	<b>320 (10.6)</b>

Ellipses indicate data not available.

Note: In 2003, the TB case report began collecting data separately for each of the races, Asian and Native Hawaiian/Pacific Islander.

**Table 3. Annual Tuberculosis Cases by Country of Origin, 1997- 2004**

COUNTRY OF ORIGIN	1997	1998	1999	2000	2001	2002	2003	2004
THE AMERICAS	192	225	192	180	223	204	216	212
United States	112	112	97	72	104	101	104	89
Mexico	76	108	88	103	115	98	104	114
Other	4	5	7	5	4	5	8	9
ASIA	126	105	95	96	95	105	87	96
Viet Nam	17	14	18	21	18	16	16	15
Philippines	78	67	62	62	55	62	46	59
Other	31	24	15	13	22	27	25	22
EUROPE	3	4	4	2	6	2	1	3
AFRICA	7	6	8	14	7	15	9	9
OTHER/UNKNOWN	4	2	0	3	0	0	3	0
<b>TOTAL</b>	<b>332</b>	<b>342</b>	<b>299</b>	<b>295</b>	<b>331</b>	<b>326</b>	<b>316</b>	<b>320</b>
Number of foreign-born*	220	229	202	223	227	225	211	231
% Foreign-born	66	67	68	76	69	69	67	72

Note: Territories and jurisdictions associated with the U.S. classified by continent (e.g., Puerto Rico, Virgin Islands: Americas; American Samoa, Guam: Other).

\*Excludes unknown country of origin.

Tuberculosis case data based on updates to the County tuberculosis registry as of February 2005.

Population source: SANDAG January 1 estimates. Rates for 2001–2003 updated based on revised population estimates for San Diego County, released July 2004.

*Source:* County of San Diego Health and Human Services Agency, TB Control Branch

*Date:* April 8, 2005